

2024-5016
2025-10-16

<<carton>>

VARROXSAN

SUSTAINED-RELEASE FIBER STRIP FOR CONTROL OF VARROA MITES ON HONEY BEES

Impregnated Fabric Acaricide
COMMERCIAL (AGRICULTURAL)

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT: Oxalic Acid Dihydrate
18.42%

Net Contents: 20 – 60 strips (140 -840 g)
1-50 pouches (70-3500g)

REGISTRATION NO. 35658 PEST CONTROL PRODUCTS ACT



DANGER - POISON
DANGER – CORROSIVE TO EYES
DANGER – SKIN IRRITANT

Vita Bee Health Canada Ltd.
1187 Fischer-Hallman Road, Suite 627
Kitchener, ON
N2E 4H9
226-706-8050

2024-5016
2025-10-16

<<pouch>>

VARROXSAN

SUSTAINED-RELEASE FIBER STRIP FOR CONTROL OF VARROA MITES ON HONEY BEES

Impregnated Fabric

Acaricide

COMMERCIAL (AGRICULTURAL)

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT: Oxalic Acid Dihydrate
18.42%

Net Contents: 10-200 strips (70-3500g)

REGISTRATION NO. 35658 PEST CONTROL PRODUCTS ACT



DANGER - POISON
DANGER – CORROSIVE TO EYES
DANGER – SKIN IRRITANT

Vita Bee Health Canada Ltd.
1187 Fischer-Hallman Road, Suite 627
Kitchener, ON
N2E 4H9
226-706-8050

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Fatal if swallowed. Harmful if inhaled. Avoid breathing dusts. **CORROSIVE** to the eye and skin. **DO NOT** get in eyes or on skin.

Wear long-sleeved shirt, long pants, chemical-resistant gloves, socks, shoes and protective eyewear (goggles or face-shield), and a respirator with a NIOSH-approved organic-vapour-removing cartridge (with a prefilter) approved for pesticides **OR** a NIOSH-approved canister approved for pesticides whenever handling or applying VarroxSan and when performing clean-up and maintenance activities.

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing and personal protective equipment immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product. Wash thoroughly and change into clean clothing. Store and wash contaminated clothing separately from household laundry.

The application of VarroxSan should be limited to outdoor use only. **DO NOT** use in enclosed overwintering areas.

All clean-up and maintenance activities should be performed in a well-ventilated area, preferably outdoors.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Probable mucosal damage may contraindicate the use of gastric lavage. Treat symptomatically.

STORAGE

Store this product away from food or feed.

DISPOSAL

Dispose of packaging and used strips in accordance with provincial or territorial requirements. For information on disposal of unused, unwanted product, contact the registrant and the provincial or territorial regulatory agency. Contact the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

DIRECTIONS FOR USE

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by disposal of used strips.

CAUTION: Bee brood might be removed where VarroxSan strips are located. VarroxSan will not control Varroa mites in capped brood.

Apply only when monitoring indicates treatment is required. Consult provincial or territorial guidelines and local extension experts for monitoring protocols and thresholds for treatment.

APPLICATION OF VARROXSAN EXTENDED-RELEASE METHOD IS PERMITTED WITH HONEY SUPERS ON.

APPLY WHEN MONITORING INDICATES THAT VARROA DESTRUCTOR INFESTATION HAS REACHED A LEVEL THAT WILL AFFECT THE HEALTH OF THE COLONY IF LEFT UNCHECKED. APPLICATION MAY BE MADE IN SPRING, SUMMER, OR FALL.

For varroa treatment -. Use 4 VarroxCsan strips per brood chamber (i.e., one strip per 2.5 Frames of Bees (FoB)).

# Frames of Bees	0-2.5	3-5	6-7.5	8-10
# Strips	1	2	3	4

Take the appropriate number of strips from the pack, fold in half and hang each strip over one comb frame inside the brood area or the bee cluster, for example, one strip in frames 2, 4, 6, 8. Hang VarroxCsan strips in the brood chamber in such a way that the bees can walk on the strips, slightly away from the surface of the frames. Leave the strips inside the hive from 42 days to 56 days, and then remove. If, after 42 days bees are not in contact with the strips, reposition the strips closer to the cluster. Strips must be removed after a maximum of 56 days. DO NOT re-use the strips.

Timing:

Hang VarroxCsan™ strips in the hives in spring, summer and/or fall if varroa mite infestations have reached treatment threshold.

USE RESTRICTIONS

For in-hive use only. Maximum rate = 4 strips per brood chamber per application (i.e., one strip per 2.5 Frames of Bees - FoB).

Strips must be removed after a maximum of 56 days.

Do not re-use strips.

Expiration date: 24 months from date of manufacture

Batch number/Date of manufacture: See edge of pack